

Ball bearings, black rubber sealed (7x14x5mm) (2)

5103A

TRX-4® 2021 Ford® Bronco (Model 92076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axie Components		Body (1969 Chevrolet® Blazer)
8241	Axle housing, front	8090	LED light set, complete with power supply (contains headlights,
8242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)		tail lights, side marker lights, & distribution block) (fits #9111 or
8227	Axle mount set (complete) (front & rear) (for suspension links)	9112	9112 body) Body, Chevrolet Blazer (1969 - 1970) (clear, requires painting)
8228 8229	Axle shaft, front (left)/ drive pin/ cross pin Axle shaft, front (right)/ drive pin/ cross pin	3112	(includes grille, side mirrors, door handles, windshield wipers,
8060	Axle shaft, front, heavy duty (left & right) (requires #8064 front		decals, window masks)
0000	portal drive input gear)	9112X	Body, Chevrolet Blazer (1969), complete (black) (includes grill,
8062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear		side mirrors, door handles, windshield wipers, front & rear
	(machined) (2) (assembled)	9125	bumpers, decals) Bumper pads/ bumper guards (chrome)/ 2.5x10 BCS (4)/ 2.7mm
8230	Axle shaft, rear (left) Axle shaft, rear (right)	3120	drill bit (fits #9126 or #9127 front bumpers)
8231 8061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear,	9127	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
	rear (machined)	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8063	Axle, rear, heavy duty (left & right) (requires #8065 rear portal	9113	Decal sheets, Chevrolet Blazer (1969 -1972)
	drive input gear)	6593	Distribution block, Pro Scale® Advanced Lighting Control System
8233 8256	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts) Portal drive axle mount, rear (left & right)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield
8256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized)		wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
02007	(left and right)/ 2.5x16 CS (4)		mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
8256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-	9123	Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/ headlight housing (2)/ headlight lens (2)/ turn signal lens (2)/
	anodized) (left and right)/ 2.5x16 CS (4)		hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6 BCS
8256G	Portal drive axle mount, rear, 6061-T6 aluminum (green- anodized) (left and right)/ 2.5x16 CS (4)		(4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body)
8256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)	9116	Marker light housing (4)/ marker light mount (4)/ marker light
020011	(left and right)/ 2.5x16 CS (4)		lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
8252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)	9121	(self-tapping) (8) Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits
8253	Portal drive housing, inner, rear (left or right) (2)	3121	#9112 body)
8251	Portal drive housing, outer (front or rear) (2)	6592	Power module, Pro Scale® Advanced Lighting Control System
8064	Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft)	6591	Pro Scale® Advanced Lighting Control System (includes power
8257	Portal drive input gear, front/ drive pin/ cross pin	0400	module & distribution block)
8259	Portal drive input gear, rear	9122	Tail light housing, black (2)/ lens (2)/ retainers (left & right)/ 2.6x8 BCS (self-tapping) (4)
8065	Portal drive input gear, rear (machined) (left or right) (requires		Body (1972 Chevrolet® Blazer)
0050	#8063 rear axle)	0000	_
8258 8252X	Portal drive output gear, front or rear Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)	8090	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #9111 or
0232X	(2)/ 3x12 BCS (2)		9112 body)
8252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-	9111	Body, Chevrolet Blazer (1972) (clear, requires painting) (includes
	anodized) (2)/ 3x12 BCS (2)		grille, side mirrors, side trim, door handles, windshield wipers,
8252G	Portal housings, inner (front), 6061-T6 aluminum (green-	9111X	decals, window masks) Body, Chevrolet Blazer (1972), complete (blue) (includes grille,
8252R	anodized) (2)/ 3x12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (red-anodized)	31117	side mirrors, door handles, windshield wipers, front & rear
020211	(2)/ 3x12 BCS (2)		bumpers, decals)
8253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x10 BCS (4)/ 2.7mm
	(2)/ 2.5x10 CS (2)	0426	drill bit (fits #9126 or #9127 front bumpers) Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)/
8253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-	9126	lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4)
8253G	anodized) (2)/ 2.5x10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (green-	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
02000	anodized) (2)/ 2.5x10 CS (2)	9113	Decal sheets, Chevrolet Blazer (1969 -1972)
8253R	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)	6593	Distribution block, Pro Scale® Advanced Lighting Control
	(2)/ 2.5x10 CS (2)	0445	System
8251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
8251A	Portal housings, outer, 6061-T6 aluminum (charcoal gray-		mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
0_0	anodized) (2)/ 2.5x10 CS (12)	9120	Grille, Chevrolet Blazer (1972)/ grille retainers (5)/ headlight
8251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/		housing (2)/ lens (2)/ 2.6x8 BCS (5)/ 2.5x6 BCS (4) (fits #9111
	2.5x10 CS (12)	0116	body) Marker light housing (4)/ marker light mount (4)/ marker light
8251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/	9116	lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
8255	2.5x10 CS (12) Stub axle (portal drive) (2)		(self-tapping) (8)
8255A	Stub axle, extended thread (portal drive) (2)	9118	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits
8267	Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6)	0500	#9111 body)
	(requires #8251X, 8251R, 8251A, or 8251G outer portal housing)	6592 6591	Power module, Pro Scale® Advanced Lighting Control System Pro Scale® Advanced Lighting Control System (includes power
	Bearings & Bushings	6591	module & distribution block)
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)	9117	Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper &
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)		lower/ retainers, left, right & rear/ 2.6x8 BCS (23)/ 1.6x5 BCS
5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)	0440	(self-tapping) (5) (fits #9111 body)
5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)	9119	Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/ 2.6x8 BCS (self-tapping) (4)
5116A 5114A	Ball bearings, black rubber sealed (5x11x4mm) (2) Ball bearings, black rubber sealed (5x8x2.5mm) (2)		
5114A 5117A	Ball bearings, black rubber sealed (5x6x2.5mm) (2) Ball bearings, black rubber sealed (6x12x4mm) (2)	0400	Body (1979 Chevrolet® Blazer)
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)	8130	Body, Chevrolet Blazer (1979) (clear, requires painting)/ window masks
5103A	Ball bearings, black rubber sealed (7x14x5mm) (2)		IIIGƏNƏ

Page 2	TRX-4® 2021 Ford® Bronco: TQi™ Traxxas Link™ l	Enabled :	2.4GHz Radio (Model 92076-4) Parts List
8130T	Body, Chevrolet Blazer (1979), complete (black) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)	9211R	Body, Ford Bronco (2021), complete, Rapid Red (painted) (includes grille, side mirrors, door handles, fender flares, windshield wipers, spare tire mount, & clipless mounting) (requires #8080X inner
8130X	Body, Chevrolet Blazer (1979), complete (orange) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)	9211T	fenders) Body, Ford Bronco (2021), complete, Shadow Black (painted) (includes grille, side mirrors, door handles, fender flares, windshield
8130R	Body, Chevrolet Blazer (1979), complete (red) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)	9211A	wipers, spare tire mount, & clipless mounting) (requires #8080X inner fenders) Body, Ford Bronco (2021), complete, Velocity Blue (painted)
8131 6593	Decal sheet, Chevrolet Blazer (1979) Distribution block, Pro Scale® Advanced Lighting Control System	9211A	(includes grille, side mirrors, door handles, fender flares, windshield wipers, spare tire mount & clipless mounting) (requires #8080X inner fenders)
8132	Door handles, left, right & rear tailgate/ windshield wipers, left & right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 body)	6593	Distribution block, Pro Scale® Advanced Lighting Control System
8134	Grille, Chevrolet Blazer (1979)/ grille retainers (4)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130 body)	9218 9291	Door handles, left & right/ trail sights, left & right/ trail sight retainers (2)/ 2.6x8 BCS (4)/ 1.6x7 BCS (self-tapping) (4) (fits #9211 body) Front light harness, Ford Bronco (2021) (requires #6592 lighting
8039	LED light set (contains headlights, tail lights, side marker lights, distribution block (fits #8130 body, requires #8028 power supply)	9220	power module and #6593 distribution block) Grille, Ford Bronco (2021)/ grille mount/ 2.6x8 BCS (8)/ 3x8 BCS (4)/
8038	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, distribution block, and power supply) (fits #8130 body)	9222	1.6x7 BCS (self-tapping) (4) (fits #9211 body) Headlight assembly, complete (2)/ 2.6x8mm BCS (2) (fits #9211 body)
8133X	Mirrors, side (folding) (fits #8130 body)	9216	Latch, body mount (2)/ 3x8 BCS (8)
8133	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #8130 body)	9217	Mirrors, side, black (left & right)/ windshield wipers (2)/ cowl/ 2.5x8 BCS (3)/ 2.5x10 CS (2)/ 1.6x5 BCS (2) (fits #9211 body)
6592 6591	Power module, Pro Scale® Advanced Lighting Control System Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	6592 6591	Power module, Pro Scale® Advanced Lighting Control System Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
8135	Tail lights, left & right (assembled)/ tail light retainers, left &	9290	Pro Scale® LED light set, Ford Bronco (2021), complete with
	right/ side marker lights (assembled) (2)/ side marker retainers (2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2)		power module (includes headlights, tail lights, & distribution block) (fits #9211 body)
	(fits #8130 body) Body (1979 Ford® Bronco)	9292	Rear light harness, Ford Bronco (2021) (requires #6592 lighting power module and #6593 distribution block)
8010X	Body, Ford Bronco (1979), complete (black) (includes front and	9219	Spare tire mount/ mounting bracket/ 3x8 BCS (3)/ 3x12 BCS (4)/
001070	rear bumpers, push bar, rear body mount, grille, side mirrors,	9221	4x15mm hex bolt (fits #9211 body) Tail light assembly, complete (2)/ 3x8mm BCS (4) (fits #9211 body)
	door handles, windshield wipers, spare tire mount, red and sunset decals) (requires #8072 inner fenders)		Body (Land Rover® Defender®)
8078R	Decal sheet, Bronco, red (fits #8010 body)	8011A	Body, Land Rover® Defender®, adventure orange (complete with
8078 6593	Decal sheet, Bronco, sunset (fits #8010 body) Distribution block, Pro Scale® Advanced Lighting Control	8011T	ExoCage, inner fenders, fuel canisters, and jack) Body, Land Rover® Defender®, blue (painted)/ decals
0393	System	8011X	Body, Land Rover® Defender®, graphite silver (painted)/ decals
8075	Door handles, left & right/ windshield wipers, left & right/	8011R	Body, Land Rover® Defender®, red (painted)/ decals
8070	retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 body) Grille, Ford Bronco/ grille retainers (6)/ headlight housing (2)/	8012 8016	Decals, Land Rover® Defender®
0070	lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 body)	0010	ExoCage (complete with assembly hardware; #8015 roof basket sold separately) (fits #8011 body)
8036	LED light set (contains headlights, tail lights, side marker lights,	8019	Fender brace, inner, front & rear
	& distribution block) (fits #8010 body, requires #8028 power supply)	8017 8018	Fender flares, front & rear (2 each) (fits #8011 or #8211 body) Fenders, inner, front & rear (2 each)/ rock light covers (8)
8035	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body)	8013	Grille, Land Rover® Defender®/ grille mount (3)/ headlight housing (2)/ lens (2)/ headlight mount (2) (fits #8011 body)
8037	LED lights, high/low switch (for #8035 or #8036 LED light kits)	8027	LED headlight/tail light kit (fits #8011 body, requires #8028 power supply)
8073	Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits	8025	LED light bar (Rigid®), TRX-4 (requires #8028 power supply)
8073X	#8010 body) Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4)	8029	LED light bar kit (Rigid®)/power supply, TRX-4®
	(fits #8010 body)	8020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 body)
6592 6591	Power module, Pro Scale® Advanced Lighting Control System Pro Scale® Advanced Lighting Control System (includes power	8015	Roof basket (requires #8016 ExoCage) (fits #8011 body)
0001	module & distribution block)	8021 8014	Spare tire mount/ mounting bracket/ screw pins (2) Tail light housing (2)/ lens (2)/ decals (left & right) (fits #8011
8076	Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS (24) (fits #8010 body)	0014	body)
8074	Spare tire mount/ mounting bracket/ spare tire cover/ mounting hardware	8811	Body (Mercedes-Benz® G 500®) Body, Mercedes-Benz® G 500® 4x4² (clear, requires painting)/
8077	Tailgate panel insert (clear, requires painting)/ adhesive foam tape (2) (fits #8010 body)		decals/ window masks (includes rear body post, grille, side mirrors, door handles, & windshield wipers)
8071	Tailgate panel/ tail light lens (2) (left & right) (fits #8010 body)	8812 6593	Decals, Mercedes-Benz® G 500® 4x4² Distribution block, Pro Scale® Advanced Lighting Control
2015	Body (2021 Ford® Bronco)	0333	System
9215 9211	Body cage (fits #9211 body) Body, Ford Bronco (2021) (clear, requires painting)/ decals/	8813X	Grille, Mercedes-Benz® G 500® 4x4²/ grille mount/ grille insert/
3211	window masks (includes grille, side mirrors, door handles, fender flares, windshield wipers, spare tire mount, clipless		headlight lens (2)/ headlight reflector (2)/ reflector lens (2)/ bumperette front (2)/ bumperette mount (2)/ turn signal housing (2)/ turn signal housing retainer (2)/ turn signal len
9211X	mounting, hardware) (requires #8080X inner fenders) Body, Ford Bronco (2021), complete, Cyber Orange (painted)	8899	LED light set (contains headlights, tail lights, roof lights, and
3211A	(includes grille, side mirrors, door handles, fender flares, windshield		distribution block) (fits #8811 or #8825 body, requires #8028 power supply)
	wipers, spare tire mount, & clipless mounting) (requires #8080X inner	8898	LED light set, complete with power supply (contains headlights,
9211G	fenders) Body, Ford Bronco (2021), complete, Iconic Silver (painted) (includes		tail lights, roof lights, & distribution block) (fits #8811 or #8825
02110	grille, side mirrors, door handles, fender flares, windshield wipers,	8817	body) Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers,
9211L	spare tire mount & clipless mounting) (requires #8080X inner fenders) Body, Ford Bronco (2021), complete, Oxford White (painted)	0017	left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS
JZ I IL	(includes grille, side mirrors, door handles, fender flares, windshield	6592	(self-tapping) (3) Power module, Pro Scale® Advanced Lighting Control System
	wipers, spare tire mount, & clipless mounting) (requires #8080X inner fenders)	0032	. Onc. module, 110 ocules Advanced Lighting Control System

6591	Pro Scale® Advanced Lighting Control System (includes power	9224	Bumper, front/ winch/ winch mount (assembled)
	module & distribution block)	8236	Bumper, rear
822	Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS	9225	Bumper, rear
816X	(4) Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS	8068 8066	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2) Push bar, bumper (chrome) (fits #8069 bumper)
814X	(self-tapping) (2) Tail light lens (2)/ tail light housing (2)/ tail light housing mount	8238	Skidplate/ lower gear cover
01-320	(2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right)		Chassis & Attachments
	Body (Tactical Unit)	8223	Battery plate/ battery strap/ 3x8 flat-head screws (4) (requires #8072 inner fenders)
211X	Body, Tactical Unit, night camo (painted)/ decals	8215	Body mounts & posts, front & rear (complete set)
019	Fender brace, inner, front & rear	8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8
017	Fender flares, front & rear (2 each) (fits #8011 or #8211 body)		BCS (5)/ 2.5x8 CS (2)
018 020	Fenders, inner, front & rear (2 each)/ rock light covers (8) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 body)	8058	Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear innfenders, short female half shaft, battery tray, 3x8mm FCS (4))
021	Spare tire mount/ mounting bracket/ screw pins (2)	8057	Chassis conversion kit, TRX-4® (short to long wheelbase)
	Body (TRX-4® Sport)		(includes rear upper & lower suspension links, front & rear
112	Body with camper, TRX-4® Sport (clear, trimmed, requires		shock towers, long female half shaft)
112	painting)/ window masks/ decal sheet	8220	Chassis rails, 448mm (steel) (left & right)
111R	Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit, requires painting)/ window masks/ decal sheet	8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 C (10)
111	Body, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet	8080X	Fenders, inner (narrow), front & rear (for clipless body mounting) (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head
113	Decal sheet, TRX-4® Sport		screws (4)/ 2.5x6 CS (10)
593	Distribution block, Pro Scale® Advanced Lighting Control System	8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ batter plate/ 3x8 flat-head screws (4)
120X	Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware) (fits	8218	Floor pans, left & right
	#8111 or #8111R body)	8224X	Receiver box cover (for use only with #8224 receiver box &
120	Expedition rack/ mounting hardware (fits #8111 or #8111R body)	8219	#2260 BEC)/ foam pads/ seals/ silicone grease Rock sliders, left & right
116	Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body)	8225	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
086	LED expedition rack scene light kit (fits #8111 body, requires	8240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
084	#8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires	8239 8226	Servo mount, steering/ chassis crossmember Tray, battery
088	#8028 power supply) LED light bar, front bumper (fits #8124 front bumper, requires		Differential Components
087	#8028 power supply) LED light bar, roof lights (fits #8111 body, requires #8028 power	8281	Carrier, differential/ differential slider/ T-Lock fork
007	supply)	8280A 8280X	Differential cover, front or rear (black) Differential cover, front or rear (chrome-plated)
085	LED light set, complete with power supply (contains headlights,	8280	Differential cover, front or rear (gray)
	tail lights, & distribution block) (fits #8111 or #8112 body)	8280R	Differential cover, front or rear (red)
119	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body)	8282	Gear set, differential (output gears (2), spider gears (4), spider gear shaft (2))
592 591	Power module, Pro Scale® Advanced Lighting Control System Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black)
122	Shovel/ axe/ accessory mount/ mounting hardware	0070	(1) 3x6 BCS with threadlock (1))
118	Spare tire mount/ mounting hardware	8279 8279R	Ring gear, differential/ pinion gear, differential Ring gear, differential/ pinion gear, differential (machined)
117	Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)	8287	Ring gear, differential/ pinion gear, differential (intermeta) machined)
121X	Traction boards, blue/ mounting hardware	8288	Ring gear, differential/ pinion gear, differential (underdrive,
121G	Traction boards, green/ mounting hardware		machined)
121A 121	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware	8297	Spool/ differential housing plug/ e-clip
121			Driveline Components
	Body Accessories	8250	Half shafts, center (internal splined, front (2) & internal splined, rear
726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		(2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
115	Body posts, front & rear	8255	Stub axle (portal drive) (2)
514 081	Decal sheet, racing sponsors Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080	8255A 8269	Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
001	narrow inner fenders)	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/
227	Fender flares, front & rear (2 each)/ flare mounts (4)/ 2x8 CS (24) (fits #9211 body)	8269A	screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS	8269G	anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4
X080	(10) Fenders, inner (narrow), front & rear (for clipless body mounting) (2	8269R	screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
070	each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)		screw pin (4) Hardware
072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)	1552	Backplate screws (3x8mm cap-head machine) (6)/washers (6)/
950	Official Team Traxxas® racing decal set (flag logo/ 6-color) Bumpers & Skidplates	8167X	wrench Hardware kit, stainless steel, beadlock rings (contains stainles
234	Bumper D-rings, gray (front or rear)/ 2x12 CS (4)	8298	steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless ste
	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)	0200	hardware used on TRX-4)
234R			•
	Bumper mount, front/ skidplate/ 3x12mm BCS (7)	8151	nardware kit, stainless steel, TRA-4® nigh Lift Kit (contains all
223 067	Bumper mounts, front & rear		stainless steel hardware used on TRX-4® Long Arm Lift Kit)
3234R 3223 3067 3237 3069		8151 5476X 3647	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® Long Arm Lift Kit) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball Nuts, 4mm flanged nylon locking (steel, serrated) (8)

Page 4	TRX-4® 2021 Ford® Bronco: TQi™ Traxxas Link™ l	Enabled	2.4GHz Radio (Model 92076-4) Parts List
1747R 1747G 1747T	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	8146R	Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
1747P 1747A	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	8144X	Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®
1985 8221 3229	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10mm cap-head machine (hex drive) (6)	8144R	Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®
2523 3236	Screws, 2.5x10mm countersunk machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6)	8144	Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with
2618 3215	Screws, 2.5x16mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6)	8143	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, front lower (2) (5x104mm, steel) (assembled
2617 3965	Screws, 2.5x8mm button-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6)	8143X	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, front lower, blue (2) (5x104mm, powder coated
2524 8299	Screws, 2.5x8mm countersunk machine (hex drive) (6) Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)	04.42D	steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
8167 2564	Screws, 2x10mm cap-head, self-tapping (hex drive) (10) Screws, 2x8mm cap-head machine (hex drive) (6)	8143R	Suspension links, front lower, red (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
2577 4859	Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm flat-head machine (hex drive) (4)	8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
2578 2579	Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6)	8145X	Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®
2591 2581	Screws, 3x23mm button-head machine (hex drive) (6) Screws, 3x25mm button-head machine (hex drive) (6)	8145R	Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated
2616	Screws, 3x27mm button-head machine (hex drive) (6)	• • • • • • • • • • • • • • • • • • • •	steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
2582 2575	Screws, 3x30mm button-head machine (hex drive) (6) Screws, 3x6mm button-head machine (hex drive) (6)	8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
3932 2576	Screws, 3x6mm flat-head machine (hex drive) (6) Screws, 3x8mm button-head machine (hex drive) (6)	8142X	Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®
3931 3933	Screws, 3x8mm flat-head machine (hex drive) (6) Screws, 4x16mm button-head machine (hex drive) (6)	8142R	Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated
8031	LED Light Accessories 3-in-1 wire harness, LED light kit		steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
8089 8028	4-in-2 wire harness, LED light kit LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire	8172	Tires and wheels, assembled (Method 105 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1
8026X	harness LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply	8181	left, 1 right) Tires and wheels, assembled, glued (TRX-4® Sport 2.2" wheels,
	and #8018, #8072, or #8080 inner fenders)	8170	Canyon Trail 5.3x2.2" tires) (2) Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)
8162X	Long Arm Lift Kit Body, GTS shock, long (aluminum, blue-anodized) (1) (for use	8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately)
8162R	with #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use	8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately)
8162	with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140	1926	Motors & Electronics Antenna caps, vinyl (2)/ antenna spool
8147	TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)	1726 2262	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (includes receiver box cover and seals)
8148	Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit)	2064 2064A	Gear set (for 2065 waterproof sub-micro servo) Gear set (for 2065A waterproof sub-micro servo)
8150	Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit)	2064R 2064X	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2065X waterproof sub-micro servo)
8140 8140X	Long Arm Lift Kit, TRX-4®, complete	2072X 2252	Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos)
8140X 8140R	Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder	2072R 8290X	Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized)
8149	coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8)	8290A 8290G	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized)
8141	(for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)	8290R 3975R	Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1)
8161	Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit)	8290 2254	Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
8160X	Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)	2253 2251	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
8160R	Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)	2063A	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo)
8160	Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit)	2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)
8153	Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit)	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
8154	Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit)	5669	Servo horn (with built-in spring and hardware) (for Summit locking differential)
8155	Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit)	2075R 2250	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing),
8156	Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit)		waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
8157	Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)	2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 metal servo
8146X	Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow	2075X	horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof
	balls) (for use with #8140X TRX-4® Long Arm Lift Kit)	2065A 2065R	Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear

	TRA 40 2021 FOR BIOHOOF FQF TRAKAS EIIR	-iiabica -	2.4GHz Radio (Model 92076-4) Parts List
025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage	2064X	Gear set, metal (for 2065X waterproof sub-micro servo)
	detection, fwd/rev/brake)	2072X	Gear set, metal (for 2070, 2075 servos)
261	Y-harness, BEC	2252	Gear set, metal (for 2250, 2255 servos)
P	ro Scale® Advanced Lighting Control System	2072R	Gear set, metal, high speed (for 2070, 2075 servos)
93	Distribution block, Pro Scale® Advanced Lighting Control System	2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
92	Power module, Pro Scale® Advanced Lighting Control System	2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
91	Pro Scale® Advanced Lighting Control System (includes power	6561	Mount, telemetry expander (fits TRX-4®)
	module & distribution block)	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal
	Pro Scale® Winch & Accessories		pad
59	Fairlead, winch	6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
70X	Fairlead, winch, aluminum (blue-anodized) (use with front	6552	Seal kit, expander box (includes o-ring, seals, and silicone
	bumpers #8865, 8866, 8867, 8869, or 9224)		grease)
70A	Fairlead, winch, aluminum (gray-anodized) (use with front	6526	Sensor, auto-detectable, temperature
	bumpers #8865, 8866, 8867, 8869, or 9224)	6527	Sensor, auto-detectable, voltage
70G	Fairlead, winch, aluminum (green-anodized) (use with front	6521 2254	Sensor, temperature and voltage (long)
70T	bumpers #8865, 8866, 8867, 8869, or 9224)	2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo Servo case, aluminum (red-anodized) (middle) (for 2255 servo
701	Fairlead, winch, aluminum (orange-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)	2253	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (t
70R	Fairlead, winch, aluminum (red-anodized) (use with front	2231	2250, 2255 servos)
, , , ,	bumpers #8865, 8866, 8867, 8869, or 9224)	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
62	Gearmotor, winch	2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-mi
63	Hook, winch (steel)		servo)
58	Housings (front & rear), winch/ decal	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-mi
64X	Line, winch (blue)	00===	servo)
64	Line, winch (gray)	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproo
64R	Line, winch (red)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearin waterproof (#2262 external BEC and #8247X metal servo horn
60 64	Spool shaft assembly, winch		recommended for optimal performance)
61 	Spool, winch	2255	Servo, digital high-torque 400 brushless, metal gear (ball
55 56	Winch kit with wireless controller, TRX-4 Winch, TRX-4® (requires #8857 wireless remote)		bearing), waterproof (#2262 external BEC and #8247 metal ser
56 57	Wireless remote, winch, TRX-4®		horn recommended for optimal performance)
<i>31</i>		2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
	Radio System, Batteries & Chargers	2065A	Servo, sub-micro, waterproof
23X	1400mAh 11.1v 3-Cell 25C LiPo Battery	2065R	Servo, sub-micro, waterproof, metal gear
:0X	2200mAh 7.4v 2-Cell 25C LiPo Battery	6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
19X	4000mAh 11.1v 3-Cell 25C LiPo Battery	6550X	Telemetry expander 2.0, TQi radio system (for use only with
72X	5000mAh 11.1v 3-Cell 25C LiPo Battery	055434	#6551X GPS module)
12X	5000mAh 7.4v 2-Cell 25C LiPo Battery	6551X	Telemetry GPS module 2.0, TQi radio system (for use only wit
43X	5800mAh 7.4v 2-Cell 25C LiPo Battery	6530	#6550X telemetry expander) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-
69X	7600mAh 7.4v 2-Cell 25C LiPo Battery	0550	channel (transmitter only)
76	AC to DC converter, 40W	6511	Traxxas Link™ Wireless Module
38X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)	2261	Y-harness, BEC
26	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		Ready-To-Race Model
43	Battery charge indicators (green (4), blue (4), gray (4))	00070.4	
48	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,	92076-4	TRX-4® Scale and Trail® Crawler with 2021 Ford® Bronco Body:
	6530 transmitters)		4WD Electric Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System
22	Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries)		
14	Battery, Power Cell AA Alkaline (4)		Scale Details
23X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	8022T	Fuel canisters (black) (2)/ 3x8 FCS (1)
40X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	8022R	Fuel canisters (blue) (2)/ 3x8 FCS (1)
50X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)	8022	Fuel canisters (red) (2)/ 3x8 FCS (1)
60X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)	8022X	Fuel canisters (white) (2)/ 3x8 FCS (1)
83	Battery/charger completer pack (includes #2969 2-amp NiMH	8022A	Fuel canisters (yellow) (2)/ 3x8 FCS (1)
	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH	8023T	Jack (black) (1)/ 2x8 BCS (1)
92	battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1),	8023	Jack (red) (1)/ 2x8 BCS (1)
	#2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))		Shock Oil
94	Battery/charger completer pack (includes #2970 iD® charger (1),	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
	#2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))	5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
91	Battery/charger completer pack (includes #2972 Dual iD®	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
	charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
32	BEC, complete (includes receiver box cover and seals)	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
75	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
72	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
72	Identification	5029	Shock oil bottle (60cc) (for mixing shock oil)
'3	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, 80 wt premium shock oils with spinning carousel rack)
	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery	1667	Silicone shock oil (30 wt), 60cc
71	Identification	5038	Spinning carousel rack
71			
	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto		Shocks (GTS)
	Battery Identification		Dady CTC sheek (slyminum silver anadized) (1)
31	- · · · · · · · · · · · · · · · · · · ·	8266	Body, GTS shock (aluminum, silver-anodized) (1)
31	Battery Identification	8266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
31 70	Battery Identification Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto	8266X 8266A	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1)
31 70 25	Battery Identification Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification	8266X 8266A 8266G	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1)
81 70 25	Battery Identification Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Communication link, telemetry expander	8266X 8266A 8266G 8266R	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1)
81 70 25 12 78 64	Battery Identification Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Communication link, telemetry expander Cover plate, Traxxas Link™ Wireless Module	8266X 8266A 8266G	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (
71 81 70 25 12 78 64 64A 64R	Battery Identification Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Communication link, telemetry expander Cover plate, Traxxas Link™ Wireless Module Fuse, charger, 5A (2) (for #2974, 2975, 2977)	8266X 8266A 8266G 8266R	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1)

Page 6	TRX-4® 2021 Ford® Bronco: TQi™ Traxxas Link™		,
3261	Piston, damper (red) (4)/ e-clips (8)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3262	Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips,	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow ball-
263	and rod ends) Shock shaft, 3x47mm (GTS) (2)	8246	captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)
263T	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)	8243	Suspension link, front, 5x100mm (lower) (steel) (2)
260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with	8244	Suspension link, front, 5x63mm (upper) (steel) (2)
	TiN shafts (assembled with spring retainers) (2)	8248	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)
260A	Shocks, GTS, aluminum (blue-anodized) (assembled with spring	8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
	retainers) (2)		Suspension Linkage
260G	Shocks, GTS, aluminum (green-anodized) (assembled with	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
0000	spring retainers) (2)	5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer
260R	Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2)	3333	adjustment shims; 3.5mm (2), 1.17mm (2)
260	Shocks, GTS, silver aluminum (assembled with spring retainers) (2)	8275	Rod end set, complete (standard (10), angled 10-degrees (8), offs
200		02.0	(4))
	Slipper Clutch Components	8276	Rod ends (10)
292	Input shaft/ output shaft (transmission)	8277	Rod ends, angled 10-degrees (8)
286	Output shafts (transfer case), front & rear	2742	Rod ends, long (6)/ hollow ball connectors (6)
254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL	8278	Rod ends, offset (4)
249	(1)/ spring washers (4), metal washer (1)) Slipper eliminator plate	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow ball
.43		0040	captured (4)
	Springs	8243	Suspension link, front, 5x100mm (lower) (steel) (2)
42	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)	8244 8248	Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x109mm (upper or lower) (steel) (2)
143	Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)	8245	Suspension link, rear, 5x103mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
)44	Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)	0270	
)41	Springs, shock (natural finish) (GTS) (0.45 rate) (2)		Team Traxxas Items
040 045	Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2)	2514	Decal sheet, racing sponsors
J45	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)	6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
	Spur Gears & Pinion Gears	9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	9909	Traxxas® racing banner, red & black (3x7 feet)
747	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw		Tires & Wheels
942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)	8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)
943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)	8169X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)
944X	(fits 3mm shaft)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)	8168X	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)
744^	(fits 3mm shaft)/ set screw	8169G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)
945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)	8168G	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)
0-1070	(fits 3mm shaft)/ set screw	8169R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)
946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)	8168R	Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8169	Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)
947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)	8168 8176	Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A
	(fits 3mm shaft)/ set screw	01/0	extended thread stub axle)
948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
0.407	(fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
949X	(fits 3mm shaft)/ set screw	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4
950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)	1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
	(fits 3mm shaft)/ set screw	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)	8174	Tires and wheels, assembled (Method 105 1.9" black chrome
	(fits 3mm shaft)/ set screw		beadlock wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1
952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)	0470	left, 1 right)
	(fits 3mm shaft)/ set screw	8172	Tires and wheels, assembled (Method 105 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1
745	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw		left, 1 right) (for use with TRX-4 Long Arm Lift Kit)
279 52	Ring gear, differential/ pinion gear, differential	8166X	Tires and wheels, assembled, glued (1.9" chrome wheels,
052 053	Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch)		Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet
			(requires #8255A extended thread stub axle)
	Steering Components	8166	Tires and wheels, assembled, glued (1.9" chrome wheels,
232	Caster blocks (portal drive), left & right/ kingpin bushings (4)		Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet
232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right	8177	(requires #8255A extended thread stub axle) Tires and wheels, assembled, glued (1.9" chrome wheels,
232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left	8177	Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet
220	and right		(requires #8255A extended thread stub axle)
232G	Caster blocks, 6061-T6 aluminum (green-anodized), left and right	8183X	Tires and wheels, assembled, glued (1.9" classic chrome whe
232R 072X	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos)		Canyon Trail 4.6x1.9" tires) (4)/ center caps (4) (requires #825
)72X)72R	Gear set, metal, high speed (for 2070, 2075 servos)		extended thread stub axle)
274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8182	Tires and wheels, assembled, glued (Method 105 1.9" black
355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer		chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tire
	adjustment shims; 3.5mm (2), 1.17mm (2)	8273	foam inserts) (1 left, 1 right) Tires and wheels, assembled, glued (Tactical 1.9" wheels,
275	Rod end set, complete (standard (10), angled 10-degrees (8), offset	02/3	Canyon Trail 4.6x1.9" tires) (2)
	(4))	8272X	Tires and wheels, assembled, glued (TRX-4® 1.9" satin beadle
276	Rod ends (10)	02: ZA	wheels, Canyon Trail 4.6x1.9" tires) (2)
277	Rod ends, angled 10-degrees (8)	8272	Tires and wheels, assembled, glued (TRX-4® 1.9" wheels,
742	Rod ends, long (6)/ hollow ball connectors (6)		Canyon Trail 4.6x1.9" tires) (2)
278	Rod ends, offset (4)	9272	Tires and wheels, assembled, glued (TRX-4® 2021 Bronco 1.9"
247X	Servo horn, steering, metal/ 3x14 BCS (1)		wheels, Canyon Trail 4.6x1.9" tires) (2)
075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	8181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2" wheel
250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),		Canyon Trail 5.3x2.2" tires) (2) (for use with TRX-4 Long Arm
	waterproof		Kit)
255	Servo, digital high-torque 400 brushless, metal gear (ball	8270	Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)

8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2) (for use with TRX-4	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
8269	Long-Arm Lift Kit) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)		2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
8269A	screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4)		3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/		driver handle
9260D	screw pin (4)		TRX-4® Traxx®
8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4)	8889	Bearing retainers, inner (2), outer (2)
8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)	8890 8885	Drive wheel (1) Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each, front (left & right), rear (left & right))
8173	Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock rings sold separately)	8888	Spring (4)
8173A	Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock	8887	Stub axle (1)
	rings sold separately)	8886	Stub axle nut (4)
8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)	8891 8881	Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061
8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock		GTR shock, & #8878 or #8895 rubber track)
	rings sold separately) (for use with TRX-4 Long Arm Lift Kit)	8882	Traxx®, front, right (assembled) (requires #8887 stub axle, #7061
8268	Wheels, Tactical 1.9 (2)	8883	GTR shock, & #8878 or #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061
8271 8271X	Wheels, TRX-4® 1.9 (2) Wheels, TRX-4® 1.9 (satin beadlock) (2)		GTR shock, & #8879 or #8896 rubber track)
9271	Wheels, TRX-4® 2021 Bronco 1.9 (2)	8884	Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061
	Transmission Components	8880	GTR shock, & #8879 or #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear)
8283	Cable, T-lock (front)	8895	Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber)
8284	Cable, T-lock (rear)		(1)
8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage	8896	Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1)
8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5))		(1)
8291 8285	Gearbox housing (includes main housing, front housing, & cover) Gears, transfer case (3)		
5041	Grease, premium high performance (20cc)		
8292	Input shaft/ output shaft (transmission)		
8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)		
8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)		If you have questions or need technical assistance, call Traxxas at:
8290G 8290R	Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized)		
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black)		1 -888-TRAXXAS (1-888-872-9927) (U.S. residents only)
0004	(1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal)		For orders, calls outside the U.S., and other information, call 972-549-3000,
8294 8286	Output gear, riigh range, 241 (metar) Output shafts (transfer case), front & rear		or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
8290	Plate, motor/ upper spur gear cover		TRAXXAS.COM
8249	Slipper eliminator plate		
8296	Transmission gears, single speed, metal		
	Traxxas Tools		
3433X	Body reamer (aluminum handle)		
3433 3436	Body reamer (plastic handle) Cap, body reamer		
3432	Scissors, curved tip		
3431	Scissors, straight tip		
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,		
0704	and 8.0mm), 1/4" drive		
8721 8720	Speed bit handle, medium (one piece) Speed bit handle, premium, large (rubber overmold)		
8722	Speed bit handle, premium, medium (rubber overmold)		
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes		
	premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm,		
	7.00mm, 8.00mm),		
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,		
0740	2.5mm, 3.0mm), 1/4" drive		
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,		
	5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive		

8716X 8715

8715X

drive

2.5mm), 1/4" drive

Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"

Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive

Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,

Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive